

## New Optical Coherence Tomography System

CELL<sup>3</sup> IMAGER ESTIER

## 3D Live-cell Imaging with Near Infrared

- A label-free, non-invasive 3D tomographic imaging tool to facilitate drug screening (up to 1 mm thick)
- Detects necrotic regions and quantifies volume, internal cavities, tubular structures etc., with impressive focus
- A cost-effective supplementary system to an existing imaging system



## Features

## Non-invasive deep tissue imaging

- Enable non-invasive detection of internal cavities and gaps in tissues (up to 1 mm thick)

## Sample differentiation

- Allows differentiation of sample's by detecting the image contrast originating from variances in the sample's physical density (refractive index (RI))

## High-throughput imaging

- A 300  $\mu\text{m}^2$  3D image can be acquired in 1 minute
- High-resolution (3  $\mu\text{m}$ ) and low resolution (10  $\mu\text{m}$ ) imaging options with accurate focus options

## User friendly analysis software

- Dedicated software facilitates fast 3D data acquisition and image reconstruction
- Simple and straightforward user interface that require no extensive operational training or expertise


## System compatibility

- Any standard cell cultureware such as micro well plates, petri dishes etc., can be used
- The system can be integrated into any existing work-flow; No special labware or reagents are required

## Easy operation


- User friendly work-flow
- No special training and expert techniques are required

Neovasculature




(Prof. Yukiko T. Matsunaga, University of Tokyo)

Ovary



(Prof. Nobuo Nagai, Nagahama Institute of Bio-Science and Technology)



Kidney spheroid





(Prof. Tatsuya Ohbayashi, Tohoku University)

## Spheroid images (Cell aggregation)



## Microscope



Bright field

Cell<sup>3</sup>Mager Estier

Cross-sectional observation



3D observation

## Specifications

|                         |  |
|-------------------------|--|
| Data Output parameters  | Tomogram in user indicated location / 3D image from user indicated view point / Movie output of tomogram / Animation output of 3D image / Quantified value: distance between point to point, area of 2D image, volume, sphericity, surface rough degree, cavity volume |
| Resolution              | High resolution: 3 $\mu\text{m}$ , Low resolution: 10 $\mu\text{m}$  |
| Max. FOV                | High resolution: 1 x 1 mm, Low resolution: 10 x 10 mm (Wide F.O.V.)  |
| Max. depth              | High resolution / Low resolution: 1,000 $\mu\text{m}$ (according to sample)  |
| Observation time (e.g.) | Cross-sectional observation: 0.5 sec. or more<br>3D observation: High resolution 0.3 x 0.3 x 0.3 mm / 3 $\mu\text{m}$ : 1 min.<br>Low resolution 5.0 x 5.0 x 1.0 mm / 10 $\mu\text{m}$ : 9 min.  |
| Vessel                  | Micro well plate, Culture dish, etc.   |
| Components              | Main unit (W20 x D20 x H19 inch)<br>Sub unit (W7 x D18 x H12 inch)<br>PC (W7 x D18 x H17 inch) + mouse, key board, joy-stick   |

Nous contacter



IZIBIO LE Moreau 86160 Champagne  
Saint Hilaire



06 26 86 06 68



izibio@outlook.fr